

## DAFTAR PUSTAKA

- Abadi, M., Barham, P., Chen, J., Chen, Z., Davis, A., Dean, J., Devin, M., Ghemawat, S., Irving, G., Isard, M., Kudlur, M., Levenberg, J., Monga, R., Moore, S., Murray, D. G., Steiner, B., Tucker, P., Vasudevan, V., Warden, P., ... Brain, G. (2016). TensorFlow A system for large-scale machine learning. *12th USENIX Symposium on Operating Systems Design and Implementation (OSDI 16)*, 265–283. [https://doi.org/10.1016/0076-6879\(83\)01039-3](https://doi.org/10.1016/0076-6879(83)01039-3)
- Ablahd, A., & Dawwod, S. (2020). Using Flask for SQLIA Detection and Protection. *Tikrit Journal of Engineering Sciences*, 27(2), 1–14. <https://doi.org/10.25130/tjes.27.2.01>
- Adawadkar, K. (2017). Python Programming-Applications and Future. *International Journal of Advance Engineering and Research Development*, 4(04), 1–4. <https://doi.org/10.21090/ijaerd.it032>
- Alelaiwi, A. (2019). Multimodal Patient Satisfaction Recognition for Smart Healthcare. *IEEE Access*, 7, 174219–174226. <https://doi.org/10.1109/ACCESS.2019.2956083>
- Alyuruk, H. (2019). Introduction to R and Python. *R and Python for Oceanographers*, 1–21. <https://doi.org/10.1016/b978-0-12-813491-7.00001-4>
- Amron, M. T., Abu Hassan, S., Saleh Hudin, M. S., & Janom, N. (2018). Inventory Control System Using Waterfall Development Model. *International Journal of Engineering & Technology*, 7, 138–141. [www.sciencepubco.com/index.php/IJET](http://www.sciencepubco.com/index.php/IJET)

- Barrett, L. F., Lewis, M., & Haviland-Jones, J. M. (2016). *Handbook of Emotions: Fourth Edition*. <https://www.guilford.com/books/Handbook-of-Emotions/Barrett-Lewis-Haviland-Jones/9781462536368/editors>
- Bellamkonda, S., & Gopalan, N. P. (2018). A Facial Expression Recognition Model using Support Vector Machines. *International Journal of Mathematical Sciences and Computing*, 4(4), 56–65. <https://doi.org/10.5815/ijmsc.2018.04.05>
- Berrar, D. (2018). Cross-validation. In *Encyclopedia of Bioinformatics and Computational Biology: ABC of Bioinformatics* (Vols. 1–3, pp. 542–545). Elsevier. <https://doi.org/10.1016/B978-0-12-809633-8.20349-X>
- Canedo, D., & Neves, A. J. R. (2019). Facial expression recognition using computer vision: A systematic review. *Applied Sciences (Switzerland)*, 9(21), 1–31. <https://doi.org/10.3390/app9214678>
- Cao, J., Wang, M., Li, Y., & Zhang, Q. (2019). Improved support vector machine classification algorithm based on adaptive feature weight updating in the Hadoop cluster environment. *PLOS ONE*, 14(4), e0215136. <https://doi.org/10.1371/journal.pone.0215136>
- Chollet, F. (2018). Deep Learning with Phyton. In *Manning*. <http://faculty.neu.edu.cn/yury/AAI/Textbook/Deep Learning with Python.pdf>
- Delima, R., Santosa, H. B., & Purwadi, J. (2017). Development of Dutatani Website Using Rapid Application Development. *IJITEE (International Journal of Information Technology and Electrical Engineering)*, 1(2), 36–44. <https://doi.org/10.22146/ijitee.28362>

- Deng, J., Pang, G., Zhang, Z., Pang, Z., Yang, H., & Yang, G. (2019). CGAN Based Facial Expression Recognition for Human-Robot Interaction. *IEEE Access*, 7(c), 9848–9859. <https://doi.org/10.1109/ACCESS.2019.2891668>
- Dima, A. M., & Maassen, M. A. (2018). From waterfall to agile software: Development models in the IT sector, 2006 to 2018. impacts on company management. *Journal of International Studies*, 11(2), 315–326. <https://doi.org/10.14254/2071-8330.2018/11-2/21>
- Du, S., Tao, Y., & Martinez, A. M. (2014). Compound facial expressions of emotion. *Proceedings of the National Academy of Sciences of the United States of America*, 111(15), E1454–E1462. <https://doi.org/10.1073/pnas.1322355111>
- Eng, S. K., Ali, H., Cheah, A. Y., & Chong, Y. F. (2019). Facial expression recognition in JAFFE and KDEF Datasets using histogram of oriented gradients and support vector machine. *IOP Conference Series: Materials Science and Engineering*, 705(1). <https://doi.org/10.1088/1757-899X/705/1/012031>
- Fatima, F., Javed, M., Amjad, F., & Khan, U. G. (2018). An Approach To Enhance Quality Of The Rad Model Using Agents. *Journal of American Science*, 14(9), 2018. <https://doi.org/10.7537/marsjas140918.08>.Keywords
- Ferreira, P. M., Marques, F., Cardoso, J. S., & Rebelo, A. (2018). Physiological inspired deep neural networks for emotion recognition. *IEEE Access*, 6, 53930–53942. <https://doi.org/10.1109/ACCESS.2018.2870063>
- Ghani, M. A., Rusli, A., Informatika, P. S., & Nusantara, U. M. (2019). Rancang

- Bangun Aplikasi Face Tracking dan Filter Berdasarkan Raut Wajah Menggunakan Algoritma Fisher-Yates Berbasis iOS. *ULTIMA Computing*, 1–8. <http://ejournals.umn.ac.id/index.php/SK/article/view/1046>
- Guo, J., Lei, Z., Wan, J., Avots, E., Hajarolasvadi, N., Knyazev, B., Kuharenko, A., Jacques Junior, J. C. S., Baro, X., Demirel, H., Escalera, S., Allik, J., & Anbarjafari, G. (2018). Dominant and Complementary Emotion Recognition from Still Images of Faces. *IEEE Access*, 6, 26391–26403. <https://doi.org/10.1109/ACCESS.2018.2831927>
- Heriyanto, Y. (2018). Perancangan Sistem Informasi Rental Mobil Berbasis Web Pada PT.APM Rent Car. *Jurnal Intra-Tech*, 2(2), 64–77.
- Hope, T., Resheff, Y. S., & Lieder, I. (2017). *Learning Tensorflow* (Nicole Tache (ed.); First Edit). O'Reilly Media, Inc.
- Hossain, M. S., & Muhammad, G. (2017). An Emotion Recognition System for Mobile Applications. *IEEE Access*, 5, 2281–2287. <https://doi.org/10.1109/ACCESS.2017.2672829>
- Huang, Y., Chen, F., Lv, S., & Wang, X. (2019). Facial expression recognition: A survey. *Symmetry*, 11(10). <https://doi.org/10.3390/sym11101189>
- Huber, S., Wiemer, H., Schneider, D., & Ihlenfeldt, S. (2019). DMME: Data mining methodology for engineering applications - A holistic extension to the CRISP-DM model. *Procedia CIRP*, 79, 403–408. <https://doi.org/10.1016/j.procir.2019.02.106>
- Junirianto, E., & Kurniadin, N. (2020). Pengembangan Aplikasi Point Of Sale Berbasis Android Menggunakan Metode Rapid Application Development.

- JOINTECS (Journal of Information Technology and Computer Science)*, 5(3), 211. <https://doi.org/10.31328/jointecs.v5i3.1564>
- Kandel, I., & Castelli, M. (2020). The effect of batch size on the generalizability of the convolutional neural networks on a histopathology dataset. *ICT Express*, xxx. <https://doi.org/10.1016/j.ict.2020.04.010>
- Kannan, V., Jhajharia, S., & Verma, S. (2014). Agile vs waterfall : A Comparative Analysis. *International Journal of Science, Engineering and Technology Research (IJSETR)*, 3(10), 2680–2686.
- Ketkar, N. (2017). Deep Learning with Python. In *Apress*. Apress. <https://doi.org/10.1007/978-1-4842-2766-4>
- Khumaidi, A. (2020). Data Mining for Predicting the Amount of Coffee Production Using Crisp-Dm Method. *Jurnal Techno Nusa Mandiri*, 17(1), 1–8. <https://doi.org/10.33480/techno.v17i1.1240>
- Ko, B. C. (2018). A brief review of facial emotion recognition based on visual information. *Sensors (Switzerland)*, 18(2). <https://doi.org/10.3390/s18020401>
- Kumar, B., Gupta, D., & Goswami, R. S. (2019). Classification of Student's Confusion Level in E-Learning using Machine Learning. *International Journal of Innovative Technology and Exploring Engineering*, 9(2S), 346–351. <https://doi.org/10.35940/ijitee.b1092.1292s19>
- Kurniawan, T. A. (2018). Pemodelan Use Case (UML): Evaluasi Terhadap beberapa Kesalahan dalam Praktik. *Jurnal Teknologi Informasi Dan Ilmu Komputer*, 5(1), 77. <https://doi.org/10.25126/jtiik.201851610>
- Li, D., Li, Z., Luo, R., Deng, J., & Sun, S. (2019). Multi-Pose Facial Expression

- Recognition Based on Generative Adversarial Network. *IEEE Access*, 7, 143980–143989. <https://doi.org/10.1109/ACCESS.2019.2945423>
- Li, S., & Deng, W. (2019). Reliable crowdsourcing and deep locality-preserving learning for unconstrained facial expression recognition. *IEEE Transactions on Image Processing*, 28(1), 356–370. <https://doi.org/10.1109/TIP.2018.2868382>
- Li, S., Deng, W., & Du, J. P. (2017). Reliable crowdsourcing and deep locality-preserving learning for expression recognition in the wild. *Proceedings - 30th IEEE Conference on Computer Vision and Pattern Recognition, CVPR 2017, 2017-Janua*, 2584–2593. <https://doi.org/10.1109/CVPR.2017.277>
- Liliana, D. Y., Basaruddin, T., & Oriza, I. I. D. (2018). The Indonesian Mixed Emotion Dataset (IMED): A facial expression dataset for mixed emotion recognition. *ACM International Conference Proceeding Series*, 56–60. <https://doi.org/10.1145/3293663.3293671>
- Marques, G., Agarwal, D., & de la Torre Díez, I. (2020). Automated medical diagnosis of COVID-19 through EfficientNet convolutional neural network. *Applied Soft Computing Journal*, 96, 106691. <https://doi.org/10.1016/j.asoc.2020.106691>
- Martinez-Plumed, F., Contreras-Ochando, L., Ferri, C., Hernandez Orallo, J., Kull, M., Lachiche, N., Ramirez Quintana, M. J., & Flach, P. A. (2019). CRISP-DM Twenty Years Later: From Data Mining Processes to Data Science Trajectories. *IEEE Transactions on Knowledge and Data Engineering*, 4347(c), 1–1. <https://doi.org/10.1109/tkde.2019.2962680>

- Martino, D. J., Samamé, C., & Strejilevich, S. A. (2016). Stability of facial emotion recognition performance in bipolar disorder. *Psychiatry Research*, 243, 182–184. <https://doi.org/10.1016/j.psychres.2016.06.026>
- Mehrabian, A. (2017). Communication without words. In *Communication Theory: Second Edition* (pp. 193–200). Taylor and Francis. <https://doi.org/10.4324/9781315080918-15>
- Memisevic, H., Mujkanovic, E., & Ibralic-Biscevic, I. (2016). Facial emotion recognition in adolescents with disabilities: The effects of type of disability and gender. *Perceptual and Motor Skills*, 123(1), 127–137. <https://doi.org/10.1177/0031512516660781>
- Mumenthaler, C., Sander, D., & Manstead, A. (2018). Emotion Recognition in Simulated Social Interactions. *IEEE Transactions on Affective Computing*, 3045(c). <https://doi.org/10.1109/TAFFC.2018.2799593>
- Murad, R., Hussain, H. S., Samad, H., Tahi, W. A., & Hanif Ali, M. (2018). Collaborative Research Management Method in Knowledge Management: Conceptual Foundations and Research Issues. *2018 4th International Conference on Computer and Information Sciences: Revolutionising Digital Landscape for Sustainable Smart Society, ICCOINS 2018 - Proceedings, February 2019*. <https://doi.org/10.1109/ICCOINS.2018.8510583>
- Mustakim, G. O. (2016). Algoritma K-Nearest Neighbor Classification. *Jurnal Sains, Teknologi Dan Industri*, 13(2), 195–202. <http://ejournal.uin-suska.ac.id/index.php/sitekin>
- Pang, B., Nijkamp, E., & Wu, Y. N. (2020). Deep Learning With TensorFlow: A

- Review. *Journal of Educational and Behavioral Statistics*, 45(2), 227–248.  
<https://doi.org/10.3102/1076998619872761>
- Pietschnig, J., Schröder, L., Ratheiser, I., Kryspin-Exner, I., Pflüger, M., Moser, D., Auff, E., Pirker, W., Pusswald, G., & Lehrner, J. (2016). Facial emotion recognition and its relationship to cognition and depressive symptoms in patients with Parkinson's disease. *International Psychogeriatrics*, 28(7), 1165–1179. <https://doi.org/10.1017/S104161021600034X>
- Puteri, M. P., & Effendi, H. (2018). Implementasi Metode RAD Pada Website Service Guide “Tour Waterfall South Sumatera.” *Jurnal Sisfokom (Sistem Informasi Dan Komputer)*, 7(2), 130.  
<https://doi.org/10.32736/sisfokom.v7i2.570>
- Putra, J. W. G. (2019). *Pengenalan Konsep Pembelajaran Mesin dan Deep Learning*. 4, 1–235.
- Ritonga, A. S., & Purwaningsih, E. S. (2018). Penerapan Metode Support Vector Machine ( SVM ) Dalam Klasifikasi Kualitas Pengelasan Smaw ( Shield Metal Arc Welding ). *Ilmiah Edutic*, 5(1), 17–25.
- Rizal, R. A., Girsang, I. S., & Prasetyo, S. A. (2019). Klasifikasi Wajah Menggunakan Support Vector Machine (SVM). *REMIK (Riset Dan E-Jurnal Manajemen Informatika Komputer)*, 3(2), 1.  
<https://doi.org/10.33395/remik.v3i2.10080>
- Salmi, N., & Rustam, Z. (2019). Naïve Bayes Classifier Models for Predicting the Colon Cancer. *IOP Conference Series: Materials Science and Engineering*, 546(5). <https://doi.org/10.1088/1757-899X/546/5/052068>



- Saputra, L. K. P., & Ratri, I. D. E. K. (2019). Perbandingan Metode Klasifikasi untuk Menentukan Tingkat Kenyamanan Suhu pada Kondisi Rileks Berbasis Sinyal EEG. *Ultimatics*, 10(2), 93–97. <https://doi.org/10.31937/ti.v10i2.992>
- Senecal, S., Cuel, L., Aristidou, A., & Magnenat-Thalmann, N. (2016). Continuous body emotion recognition system during theater performances. *Computer Animation and Virtual Worlds*, 27(3–4), 311–320. <https://doi.org/10.1002/cav.1714>
- Shorten, C., & Khoshgoftaar, T. M. (2019). A survey on Image Data Augmentation for Deep Learning. *Journal of Big Data*, 6(1). <https://doi.org/10.1186/s40537-019-0197-0>
- Singh, M., Verma, A., Parasher, A., Chauhan, N., & Budhiraja, G. (2019). Implementation of Database Using Python Flask Framework. *International Journal of Engineering and Computer Science*, 8(12), 24890–24893. <https://doi.org/10.18535/ijecs/v8i12.4399>
- Song, T., Zheng, W., Lu, C., Zong, Y., Zhang, X., & Cui, Z. (2019). MPED: A multi-modal physiological emotion database for discrete emotion recognition. *IEEE Access*, 7, 12177–12191. <https://doi.org/10.1109/ACCESS.2019.2891579>
- Styawati, S., & Mustofa, K. (2019). A Support Vector Machine-Firefly Algorithm for Movie Opinion Data Classification. *IJCCS (Indonesian Journal of Computing and Cybernetics Systems)*, 13(3), 219. <https://doi.org/10.22146/ijccs.41302>
- Supartini, I. A. M., Sukarsa, I. K. G., & Srinadi, I. G. A. M. (2017). Analisis

- Diskriminan Pada Klasifikasi Desa Di Kabupaten Tabanan Menggunakan Metode K-Fold Cross Validation. *E-Jurnal Matematika*, 6(2), 106.  
<https://doi.org/10.24843/mtk.2017.v06.i02.p154>
- Syafira, A. R. (2017). Sistem Deteksi Wajah Dengan Modifikasi Metode Viola Jones. *Emitor: Jurnal Teknik Elektro*, 17(1), 26–33.  
<https://doi.org/10.23917/emitor.v17i1.5964>
- Tan, M., & Le, Q. V. (2019). EfficientNet: Rethinking model scaling for convolutional neural networks. *36th International Conference on Machine Learning, ICML 2019*, 10691–10700.
- Tarnowski, P., Kołodziej, M., Majkowski, A., & Rak, R. J. (2017). Emotion recognition using facial expressions. *Procedia Computer Science*, 108, 1175–1184. <https://doi.org/10.1016/j.procs.2017.05.025>
- Tong, X., Sun, S., & Fu, M. (2019). Data Augmentation and Second-Order Pooling for Facial Expression Recognition. *IEEE Access*, 7, 86821–86828.  
<https://doi.org/10.1109/ACCESS.2019.2923530>
- Tsakiris, M., & Critchley, H. (2016). Interoception beyond homeostasis: Affect, cognition and mental health. *Philosophical Transactions of the Royal Society B: Biological Sciences*, 371(1708). <https://doi.org/10.1098/rstb.2016.0002>
- Whitehill, J., Serpell, Z., Lin, Y. C., Foster, A., & Movellan, J. R. (2014). The faces of engagement: Automatic recognition of student engagement from facial expressions. *IEEE Transactions on Affective Computing*, 5(1), 86–98.  
<https://doi.org/10.1109/TAFFC.2014.2316163>
- Yang, D., Alsadoon, A., Prasad, P. W. C., Singh, A. K., & Elchouemi, A. (2018).

- An Emotion Recognition Model Based on Facial Recognition in Virtual Learning Environment. *Procedia Computer Science*, 125(2009), 2–10.  
<https://doi.org/10.1016/j.procs.2017.12.003>
- Young, S., Natalia, F., Sudirman, S., & Ko, C. S. (2019). Eyeglasses frame selection based on oval face shape using convolutional neural network. *ICIC Express Letters, Part B: Applications*, 10(8), 707–715.  
<https://doi.org/10.24507/icicelb.10.08.707>
- Zaccone, G. (2016). Getting Started with TensorFlow. In *Packt Publishing*.
- Zaccone, G., Karim, M. R., & Menshawy, A. (2017). *Deep Learning with TensorFlow: Explore neural networks with Python*. Packt Publishing.
- Zhang, H., Jolfaei, A., & Alazab, M. (2019). A Face Emotion Recognition Method Using Convolutional Neural Network and Image Edge Computing. *IEEE Access*, 7, 159081–159089. <https://doi.org/10.1109/ACCESS.2019.2949741>
- Zhu, Y., & Newsam, S. (2016). Spatio-temporal sentiment hotspot detection using geotagged photos. *GIS: Proceedings of the ACM International Symposium on Advances in Geographic Information Systems*.  
<https://doi.org/10.1145/2996913.2996978>